

Comment préparer ma venue

E.

Architectural technical regulations



RX France

Exhibitor Guide - REEDUCA - october 2025

1 – For all exhibitors (turnkey stands, bare stands):

Complete the online fire safety form **before September, 11 2025**

2 – For space-only stands:

a) TECHNICAL FLOORPLAN

If you have technical restrictions on your location, please contact our exhibitor technical department before starting your stand design to receive your technical floorplan (Fire Hose Reel, connection channel, pillars, construction headroom...)

Contact: service.technique.reeduca@rxglobal.com

b) COMPLIANCE WITH ARCHITECTURAL REGULATIONS → **before September, 8 2025**

Once your project is complete, send two dimensioned drawings showing the floor plan and elevation to: **DECOPLUS** - w.decoplus@free.fr - tel: +33 (0)9 67 78 93 85

Our service provider will check compliance with architectural regulations.

c) TECHNICAL SERVICE ORDER / FEASIBILITY

Order your slings, fluids... to VIPARIS: <https://www.viparisstore.com/en/>

To finalize your order, a technical drawing will be requested.

This drawing is necessary not only to install your order, but also to study the feasibility of your project (especially for slinging).

The order will not be validated until the feasibility has been confirmed by VIPARIS.

d) FINAL APPROVAL

Your project will only be validated upon receipt of the DECOPLUS validation and confirmation of the project feasibility by VIPARIS.

Architectural technical regulations

IMPORTANT: by signing your application form, you have undertaken to comply with and to ensure that all decorators, installers or contractors comply with all the clauses of the general regulations, including the time allotted for setup and dismantling.

The trade show organiser reserves the right to have the general installer modify or dismantle (at the exhibitor's expense) any installations that do not comply with the architectural regulations and which are likely to disturb neighbouring exhibitors or the public.

The technical team will check all the installations of the stands and may reject those that do not conform to the approved design.

Furthermore, the organiser reserves the right to have a certified inspection body issue a report certifying the stability of the stand structures at the exhibitor's expense.

Hanging elements/slings:

The suspended items to the Pavilion ceiling must only be installed by the VIPARIS technical service.

Orders must be taken on VIPARIS STORE : <https://www.viparisstore.com/en/>

Hanging elements must comply with the architectural rules.

Your hanging structures (or strung elements) must be inspected by a certified company in order to obtain a stability report.

Exhibitors must provide a certificate of compliance.

Virtual Visit:

Discover Paris Expo Porte de Versailles with the virtual visit:

[Paris Expo Porte de Versailles - Explore Viparis](#)

Architectural technical regulations

If you use a stand builder, remember to send them this document so that they can take these rules into account when designing your stand.

Stand constructions must take into account the following heights* (from the ground) and clearances:

	HEIGHT	RULES
Construction	5.00 m	<p>Cette règle s'applique à tous les stands lorsque la hauteur ou zone du pavillon le permet.</p> <p>Retrait par rapport aux allées Du sol à 3.50 m de hauteur : pas de retrait Any construction between 3.50m and 5m in height must observe a setback of at least 1m inside the stand.</p>
Aisles	5.00 m*	<p>The aisles must always remain clear. The stand must maintain a minimum opening of 50% on each side opening onto an aisle. Any solid decorative element is considered a closure.</p> <p>All decorative elements and installations must be designed so that the aisles remain well-cleared, they do not interfere with neighbouring stands, and they allow high visibility of the trade show through the stands.</p>
Partitions/shared partition walls	2.50 m	<p>The partitions facing neighbouring stands must be smooth, plain, painted white or covered with white or grey wall fabric, without any type of signs.</p>
Signs	6.00 m*	<p>Setback of at least 1.00m inside the stand</p> <p>Please note The hanging of signage on halyards can only be carried out by VIPARIS Technical Services, a service which can be ordered from www.viparisstore.com</p>
Lighting fixtures or truss lighting	6.00 m*	<p>Setback of at least 1.00m inside the stand</p> <p>Lighting harrows are allowed, slinged and independent above the stand structures.</p> <p>Please note The hanging of signage on halyards can only be carried out by VIPARIS Technical Services, a service which can be ordered from www.viparisstore.com</p>

*Please ask your technical contact for the height restrictions specific to your spot. .

Architectural technical regulations

Stand boundaries

No decorations, furnishings, signs or lighting may protrude from the boundaries of your stand.

Clear aisles

Exhibitors must leave **the aisles clear** of all pipes, cables/wires or decorative elements, both on the ground and overhead. However, pipes and cables meeting the requirements of the organiser, or the safety teams will be allowed to cross the stands if necessary.

Stands opening

Each side of a stand facing an aisle must have a **minimum opening of 50%** in order to allow easy access to the stand, avoid disturbing neighbouring stands and to allow proper visibility and flow of visitor traffic.

The following may be considered as openings:

- Any decorative elements or furniture not exceeding 1m in height, excluding low partitions. (e.g.: plants, reception counters, etc.)
- Any mobile elements, up to the full height of the stand, allowing physical access to the stand.

The organiser reserves the right to have the layout of the project received modified for any purpose.

Damage

Exhibitors are responsible for themselves and for their suppliers for all damage caused to building structures during transport, installation or removal of their equipment.

Walls, floors, pillars: it is forbidden to drill, seal, bleed or cut them.

It is also forbidden to paint them.

Architectural technical regulations

Stands over 200 sqm

Please contact the fire safety officer : handisecur@handisecur.com

Reused stands

Reused stands are subject to the architectural technical regulations, just like newly built stands. The plans must be submitted to our [service provider](#) in charge of approving stand designs.

Multi-level stands

Multi-level stands are not allowed.

Velum

If you wish to install a velum, please confirm the percentage of coverage with our [fire safety officer](#). A velum, classified M1 for reaction to fire, can be installed.

Flooring

Stands are delivered with carpet except for stands installed by a decorator who supplies, installs, and removes it. Exhibitors will be charged for any damage they cause to the existing floor. They are responsible for taking all necessary precautions (plastic, plywood, etc.) to protect the floor from risks, especially painting.

Post and pavilion cladding

Permanent wood cladding may not be painted, drilled or glued.

Permanent wood cladding has a height of 3 metres for pavilion 5.2 & 5.3

They may be used in their entirety by exhibitors to hang signs or decorative elements. All items fastened with staples must be removed by the exhibitor at the end of the show, and the cladding must be free of staples. It is forbidden to pierce, to paint, to coat or damage the pole. Otherwise, the restoration will be invoiced to the exhibitor.

Architectural technical regulations

Accessibility for disabled people

Any stand equipped with a technical floor higher than 2 cm, on which the public may have to climb, must have an access ramp. The ramp must be 0.90 m wide and have a gradient of between 2% and 5%. The ramp must be integrated into the stand and must not extend into the aisles.

Fluid distribution channels

Fluids distribution in the pavilion is ensured by a set of channels .

Channels and hatches are completely closed by cast iron plates that are forbidden to be handled. Only VIPARIS is authorised to use these channels.

For more information, please contact: contact@e-viparisstore.com

Important!

Access to water is not guaranteed for all stands and must be validated by the Exhibitor service. It is strongly recommended to install a technical floor to cover the water inlet and drain pipes. In addition, the organiser cannot provide chutes on the stands.

Access to the pavilions

Access to the pavilions can easily be done thanks to numerous side gates. Trucks and passenger vehicles are not allowed inside the pavilions. Only handling equipments is permitted.

A car park adjacent to the pavilion is available to stand builders during set-up and dismantling periods.

The Pavillon 5.2/3 has cweight limits:

Evenly distributed load : 960kg/m²

Point Load : 6t/0.25*0.25m

Architectural technical regulations

Sound animations and illuminated signs

Animations (sounds, videos, mascots, etc.) must be declared to the organiser for approval. The maximum noise level is set at 70 decibels, measured at 1 meter from the stand.

The organiser reserves the right to lower this threshold if the noise emission causes a significant disturbance to surrounding stands.

All forms of attractions/events and sales activities are strictly prohibited outside the stand unless the exhibitor has reserved this type of visibility with the organiser.

All light and sound advertising must be submitted to the organiser for approval, who may revoke the authorisation granted in the event of a disturbance to neighbouring exhibitors, the flow of visitor traffic or the trade show.

Rotating and similar lights are not permitted.

Illuminated signs or signage are permitted.

Under no circumstances may they have strobe or flashing lights.

Tethered balloons

Balloons inflated with a lighter-than-air gas (air or helium) and used as signs must comply with authorized heights and clearances. If the balloon is inflated with helium, no storage of helium cylinders (empty or full) will be authorized in the hall. It is also forbidden to re-pressurize the balloon while the public is present. If the balloon is illuminated, the envelope must have a M1 reaction to fire. The length of their attachments must be definitive and respect the same recesses as the slung elements. Failure to comply with this requirement will entitle the organizer to remove the balloon.

Exhibited vehicles

Vehicles set up on stand must have their fuel tank emptied, the battery inaccessible to the public and a fire extinguisher adapted to the vehicle.

For any further information, please contact our fire safety officer:

HANDI'SECUR - +33 (0)6 87 99 86 59 - handisecur@handisecur.com

Architectural technical regulations

Smoke control and fire-fighting systems / fire hose reel

Smoke control and fire-fighting systems are mounted on cladding or perimeter pillars. Intercoms must always remain accessible. Signs indicating fire-fighting systems must remain visible.

The fire hose reel must remain visible and accessible, and therefore must not be blocked by any casing, doors, curtains or decorative elements.

However, a floating curtain of neutral colour will be tolerated in front of the device. A sign will be placed above the curtain (red plate, R.I.A. in white lettering or pictogram, 40 cm x 15 cm). It must be fully accessible, with a 1 m wide path (at least) from the nearest aisle.

Fire Safety Inspection


All installations must comply with the regulations issued by the Prefecture de Police. The General Commissioner will inspect all stand installations and may reject those that do not conform to the architectural technical regulations.

Due to the Fire Safety Inspection, stand build-up must be completed the day before the opening.

F. Short time structures

Short time structures must be verificate


(by the law of 25th July 2022)



Structures examples from left to right: totems, arches, Sinage and handing up lights

POSSIBLE CASES

If you ordered your structure from VIPARIS or
you have a structure gave by the organisator



Then you have nothing to do : VIPARIS or
the organisator are taking care of it.

F. Temporary and removable structures

You can find contact details for inspection agencies on page 43.

Please note: a qualified technician must be registered and trained by one of the training organizations accredited by Synpase.

Possible Scenarios for Procedures


Your structure was not ordered by the event organizer (you are setting up your own structure)

	Cat. OS1 Inférieur à 3,50m*	Cat. OS2 Entre 3,5m et 6,2m*	Cat. OS3 Supérieur à 6,2m* et/ou plus de 12 élingues et/ou plus de 1000 kg
You Must :			
Appoint a certified inspection agency or accredited organization before the start of assembly to obtain a file review (verification of calculation notes, plans, etc.).		✓	✓
Appoint a certified inspection agency or a qualified technician trained for the post-assembly inspection of your structure.		✓	✓ <i>Control Office Only</i>
Issue a certificate of proper assembly	✓	✓	✓


*Height of the highest point, including shimming

Preparing for the Trade Show

Architectural technical regulations



HALL POST CLADDING




POWER SUPPLY

Electrical box



ELECTRICAL
CABINET



TECHNICAL
HATCH

RX France

Exhibitor Guide - REEDUCA - october 2025